



POS. NR	DESCRIPTION	Qty	
		250A	630A
1	PORCELAIN	1	1
2	BOLT	1	1
3	BRASS CAP	1	1
5	RING GASKET	1	1
6	INTERNAL GASKET	1	1
7	SCREW	-	1
8	FLANGE GASKET	-	1
9	FLANGE GASKET	1	1
11	STEEL NUT	3	3
12	WASHER	2	2
13	SPRING WASHER	1	1
14	WELDING STUD	1	1
15	FIXING RING	4	6

DIN 42531 250A
DIN 42532 630A

TYPE	WEIGHT Kg Pos.2-15	a max.	b max.	l1	d1	d2	d3	d4	d5
DT 10 Nf 250	0.63	310	76	371	M12	50	78	123	140
DT 20 Nf 250	0.63	385	76	461	M12	50	78	123	155
DT 30 Nf 250	0.63	485	76	561	M12	50	78	123	155
DT 10 Nf 630	1.36	342	108	403	M20	60	90	140	150
DT 20 Nf 630	1.36	417	108	493	M20	60	90	140	165
DT 30 Nf 630	1.36	522	108	618	M20	60	90	140	180

No.	Designation			Materials		Mod.-no. Blanks Dimension	Remarks	
Constr.	Design	Copied	Constr.	Standard	Approved	Scale	Revision	Date
	KJ							000113
Ingenjörfirma RUNE HAMP				TRANSFORMER BUSHING 250-630 A 10-30 kV			Drawing No. 41304	